

Welcome! If you have any BibTeX entries that you believe I might find useful (based on this content), see any errors, or would be interested in this bibliography, please let me know!

This file last printed on February 4, 2011.

REFERENCES

- [Adlerman and Droegemeier(2002)] Adlerman, E. J. and K. K. Droegemeier, 2002: The sensitivity of numerically simulated cyclic mesocyclogenesis to variations in model physical and computational parameters. *Mon. Wea. Rev.*, **130**, 2671–2691.
- [Adlerman and Droegemeier(2005)] Adlerman, E. J. and K. K. Droegemeier, 2005: The dependence of numerically simulated cyclic mesocyclogenesis upon environmental vertical wind shear. *Mon. Wea. Rev.*, **133**, 3595–3623.
- [Adlerman et al.(1999)Adlerman, Droegemeier, and Davies-Jones] Adlerman, E. J., K. K. Droegemeier, and R. Davies-Jones, 1999: A numerical simulation of cyclic mesocyclogenesis. *J. Atmos. Sci.*, **56**, 2045–2069.
- [Angell et al.(1984)Angell, Korshover, and Cotton] Angell, J. K., J. Korshover, and G. F. Cotton, 1984: Variation in United States cloudiness and sunshine, 1950–82. *J. Climate Appl. Meteor.*, **23**, 752–761.
- [Ashley and Ashley(2008)] Ashley, S. T. and W. S. Ashley, 2008: Flood fatalities in the United States. *J. Climate Appl. Meteor.*, **47**, 805–818.
- [Ashley(2007)] Ashley, W. S., 2007: Spatial and temporal analysis of tornado fatalities in the United States: 1880–2005. *Wea. Forecasting*, **22**, 1214–1228.
- [Ashley and Black(2008)] Ashley, W. S. and A. W. Black, 2008: Fatalities associated with non-convective high-wind events in the United states. *J. Climate Appl. Meteor.*, **47**, 717–725.
- [Ashley and Mote(2005)] Ashley, W. S. and T. L. Mote, 2005: Derecho hazards in the United States. *Bull. Amer. Meteorol. Soc.*, **86**, 1577–1592.
- [Atkins and Wakimoto(1991)] Atkins, N. T. and R. M. Wakimoto, 1991: Wet microburst activity over the southeastern United States. *Wea. Forecasting*, **6**, 470–482.
- [Atkins et al.(1999)Atkins, Weisman, and Wicker] Atkins, N. T., M. L. Weisman, and L. J. Wicker, 1999: The influence of preexisting boundaries on supercell evolution. *Mon. Wea. Rev.*, **127**, 2910–2927.
- [Auer and Marwitz(1968)] Auer, A. H., Jr. and J. D. Marwitz, 1968: Estimates of air and moisture flux into hailstorms on the High Plains. *J. Appl. Meteorol.*, **7**, 196–198.
- [Austin and Colman(2007)] Austin, J. A. and S. M. Colman, 2007: Lake Superior summer water temperatures are increasing more rapidly than regional air temperatures: A positive ice-albedo feedback. *Geophys. Res. Lett.*, **34**, L06604.
- [Banacos and Bluestein(2004)] Banacos, P. C. and H. B. Bluestein, 2004: Hodograph variability within analytically modeled, synoptic-scale, baroclinic systems. *Mon. Wea. Rev.*, **132**, 1448–1461.
- [Barnes and Newton(1983)] Barnes, S. L. and C. W. Newton, 1983: Thunderstorm climatology. *Thunderstorm Morphology and Dynamics, 2nd Ed.*, E. Kessler, Ed., University of Oklahoma Press, 75–112.
- [Beatty et al.(2009)Beatty, Rasmussen, Straka, and Lemon] Beatty, K., E. N. Rasmussen, J. M. Straka, and L. R. Lemon, 2009: The supercell spectrum, Part II: A semi-objective method for radar classification of supercell type. *E. Journal Severe Storms Meteorol.*, **4**, 1–30.
- [Bedient et al.(2007)Bedient, Huber, and Vieux] Bedient, P. B., W. C. Huber, and B. E. Vieux, 2007: *Hydrology and Floodplain Analysis*. Prentice Hall, Upper Saddle River, NJ, 816 pp.
- [Bengtsson et al.(2004)Bengtsson, Hagemann, and Hodges] Bengtsson, L., S. Hagemann, and K. I. Hodges, 2004: Can climate trends be calculated from reanalysis data? *J. Geophys. Res.*, **109**, D11111.
- [Bernardet and Cotton(1998)] Bernardet, L. R. and W. R. Cotton, 1998: Multiscale evolution of a derecho-producing mesoscale convective system. *Mon. Wea. Rev.*, **126**, 2991–3015.
- [Biggerstaff et al.(2008)Biggerstaff, Burgess, Carrie, Mansell, Wicker, and Ziegler] Biggerstaff, M. I., D. W. Burgess, G. D. Carrie, E. R. Mansell, L. J. Wicker, and C. L. Ziegler, 2008: Storm-scale sampling strategies for the mobile C-band Doppler radars during VORTEX2. *Preprints, 24th Conf. on Severe Local Storms*, Savannah, GA, Amer. Meteor. Soc., CD-ROM, 5.2.

- [Blanchard(1998)] Blanchard, D. O., 1998: Assessing the vertical distribution of convective available potential energy. *Wea. Forecasting*, **13**, 870–877.
- [Bluestein(2007)] Bluestein, H. B., 2007: Advances in applications of the physics of fluids to severe weather systems. *Reports On Progress In Phys.*, **70**, 1259–1323.
- [Bluestein et al.(1990)Bluestein, McCaul, Byrd, Walko, and Davies-Jones] Bluestein, H. B., E. McCaul, Jr., G. P. Byrd, R. L. Walko, and R. P. Davies-Jones, 1990: An observational study of splitting convective clouds. *Mon. Wea. Rev.*, **118**, 1359–1370.
- [Bluestein et al.(1988)Bluestein, McCaul, Byrd, and Woodall] Bluestein, H. B., E. W. McCaul, Jr., G. P. Byrd, and G. R. Woodall, 1988: Mobile sounding observations of a tornadic storm near the dryline—the Canadian, Texas storm of 7 May 1986. *Mon. Wea. Rev.*, **116**, 1790–1804.
- [Bluestein and Parker(1993)] Bluestein, H. B. and S. S. Parker, 1993: Modes of isolated, severe convective storm formation along the dryline. *Mon. Wea. Rev.*, **121**, 1354–1372.
- [Bluestein and Woodall(1990)] Bluestein, H. B. and G. R. Woodall, 1990: Doppler-radar analysis of a low-precipitation severe storm. *Mon. Wea. Rev.*, **118**, 1640–1664.
- [Bolton(1980)] Bolton, D., 1980: The computation of equivalent potential temperature. *Mon. Wea. Rev.*, **108**, 1046–1053.
- [Braham(1968)] Braham, R. R., Jr., 1968: Meteorological bases for precipitation development. *Bull. Amer. Meteorol. Soc.*, **49**, 343–353.
- [Brandes(1981)] Brandes, E. A., 1981: Fine-structure of the Del City–Edmond tornadic mesocirculation. *Mon. Wea. Rev.*, **109**, 635–647.
- [Brandes(1984)] Brandes, E. A., 1984: Relationships between radar-derived thermodynamic variables and tornadogenesis. *Mon. Wea. Rev.*, **112**, 1033–1052.
- [Brooks(2006)] Brooks, H. E., 2006: A global view of severe thunderstorms: Estimating the current distribution and possible future changes. *Preprints, AMS Severe Local Storms Special Symposium*, Atlanta, GA, Amer. Meteor. Soc., CD-ROM, J4.2.
- [Brooks(2009)] Brooks, H. E., 2009: Proximity soundings for severe convection for Europe and the United States from reanalysis data. *Atmos. Res.*, **93**, 546–553.
- [Brooks et al.(2007)Brooks, Anderson, Riemann, Ebberts, and Flachs] Brooks, H. E., A. R. Anderson, K. Riemann, I. Ebberts, and H. Flachs, 2007: Climatological aspects of convective parameters from the NCAR/NCEP reanalysis. *Atmos. Res.*, **83**, 294–305.
- [Brooks and Craven(2002)] Brooks, H. E. and J. P. Craven, 2002: A database of proximity soundings for significant severe thunderstorms, 1957–1993. *Preprints, 21st Conf. on Severe Local Storms*, San Antonio, TX, Amer. Meteor. Soc., 639–642.
- [Brooks et al.(1994a)Brooks, Doswell, and Wilhelmson] Brooks, H. E., C. A. Doswell, and R. B. Wilhelmson, 1994a: The role of midtropospheric winds in the evolution and maintenance of low-level mesocyclones. *Mon. Wea. Rev.*, **122**, 126–136.
- [Brooks et al.(1994b)Brooks, Doswell, and Cooper] Brooks, H. E., C. A. Doswell, III, and J. Cooper, 1994b: On the environments of tornadic and nontornadic mesocyclones. *Wea. Forecasting*, **10**, 606–618.
- [Brooks et al.(2003)Brooks, Lee, and Craven] Brooks, H. E., J. W. Lee, and J. P. Craven, 2003: The spatial distribution of severe thunderstorm and tornado environments from global reanalysis data. *Atmos. Res.*, **67-8**, 73–94.
- [Brooks and Wilhelmson(1992)] Brooks, H. E. and R. B. Wilhelmson, 1992: Numerical-simulation of a low-precipitation supercell thunderstorm. *Meteorol. Atmos. Phys.*, **49**, 3–17.
- [Brophy et al.(1999)Brophy, Klein, and Stewart] Brophy, J. G., E. M. Klein, and M. A. Stewart, 1999: Textural (Nomarski interferometry) studies of plagioclase phenocryst zonation styles in MORB dikes and lavas from the north wall of the Hess Deep Rift. *Eos Trans. AGU*, **80**, Fall Meet. Suppl., F985.
- [Brown(1979)] Brown, J. M., 1979: Mesoscale unsaturated downdrafts driven by rainfall evaporation: A numerical study. *J. Atmos. Sci.*, **36**, 313–338.
- [Brown et al.(1982)Brown, Knupp, and Caracena] Brown, J. M., K. R. Knupp, and F. Caracena, 1982: Destructive winds from shallow high-based cumulonimbi. *Preprints, 12th Conf. on Severe Local Storms*, Boston, Amer. Meteor. Soc., 272–275.
- [Brown(1992)] Brown, R. A., 1992: Initiation and evolution of updraft rotation within an incipient supercell thunderstorm. *J. Atmos. Sci.*, **49**, 1997–2014.
- [Browning(1962)] Browning, K. A., 1962: Cellular structure of convective storms. *Meteor. Mag.*, **91**, 341–350.

- [Browning(1964)] Browning, K. A., 1964: Airflow and precipitation trajectories within severe local storms which travel to the right of the winds. *J. Atmos. Sci.*, **21**, 634–639.
- [Browning and Ludlam(1962)] Browning, K. A. and F. H. Ludlam, 1962: Airflow in convective storms. *Quart. J. Roy. Meteorol. Soc.*, **88**, 117–135.
- [Bryan and Frisch(2004)] Bryan, G. H. and J. M. Frisch, 2004: A reevaluation of ice–liquid water potential temperature. *Mon. Wea. Rev.*, **132**, 2421–2431.
- [Bryan and Orf(2008)] Bryan, G. H. and L. Orf, 2008: Persistent low-level mesocyclones in simulated supercell thunderstorms. *Preprints, 24th Conf. on Severe Local Storms*, Savannah, GA, Amer. Meteor. Soc., CD-ROM, P10.9.
- [Bryan et al.(2008)] Bryan, Skamarock, Rotunno, Weisman, and Klemp] Bryan, G. H., W. Skamarock, R. Rotunno, M. Weisman, and J. Klemp, 2008: A conceptual framework for the resolution dependence of updraft properties in cloud system resolving models. *Eos Trans. AGU*, **89**, Fall Meet. Suppl., Abstract A43G-07. Available at <http://www.mmm.ucar.edu/people/bryan/>.
- [Bryan et al.(2003)] Bryan, Wyngaard, and Fritsch] Bryan, G. H., J. C. Wyngaard, and J. M. Fritsch, 2003: Resolution requirements for the simulation of deep moist convection. *Mon. Wea. Rev.*, **131**, 2394–2416.
- [Bunkers et al.(2006a)] Bunkers, Hjelmfelt, and Smith] Bunkers, M. J., M. R. Hjelmfelt, and P. L. Smith, 2006a: An observational examination of long-lived supercells. Part I: Characteristics, evolution, and demise. *Wea. Forecasting*, **21**, 673–688.
- [Bunkers et al.(2006b)] Bunkers, Johnson, Czepyha, Grzywacz, Klimowski, and Hjelmfelt] Bunkers, M. J., J. S. Johnson, L. J. Czepyha, J. M. Grzywacz, B. A. Klimowski, and M. R. Hjelmfelt, 2006b: An observational examination of long-lived supercells. Part II: Environmental conditions and forecasting. *Wea. Forecasting*, **21**, 689–714.
- [Bunkers et al.(2000)] Bunkers, Klimowski, Zeitler, Thompson, and Weisman] Bunkers, M. J., B. A. Klimowski, J. W. Zeitler, R. L. Thompson, and M. L. Weisman, 2000: Predicting supercell motion using a new hodograph technique. *Wea. Forecasting*, **15**, 61–79.
- [Burgess et al.(1993)] Burgess, Donaldson, and Desrochers] Burgess, D. W., R. J. Donaldson, Jr., and P. R. Desrochers, 1993: Tornado detection and warning by radar. *The Tornado: Its Structure, Dynamics, Hazards, and Prediction*, Amer. Geophys. Union, Geophys. Monogr., Vol. 79, 203–221.
- [Burgess and Lemon(1991)] Burgess, D. W. and L. R. Lemon, 1991: Characteristics of mesocyclones detected during a NEXRAD test. *Preprints, 25th Int. Conf. on Radar Meteorology*, Paris, France, Amer. Meteor. Soc., 39–42.
- [Burke and Schultz(2004)] Burke, P. C. and D. M. Schultz, 2004: A 4-yr climatology of cold-season bow echoes over the continental United States. *Wea. Forecasting*, **19**, 1061–1074.
- [Byers and Braham(1949)] Byers, H. R. and R. R. Braham, 1949: *The Thunderstorm*. U. S. Government Printing Office, 287 pp.
- [Carey and Rutledge(2003)] Carey, L. D. and S. A. Rutledge, 2003: Characteristics of cloud-to-ground lightning in severe and nonsevere storms over the central United States from 1989–1998. *J. Geophys. Res.–Atmos.*, **108**, doi:10.1019/2002JD002951.
- [Carlson et al.(1983)] Carlson, Benjamin, and Forbes] Carlson, T. N., S. G. Benjamin, and G. S. Forbes, 1983: Elevated mixed layers in the regional severe storms environment: Conceptual models and case studies. *Mon. Wea. Rev.*, **111**, 1453–1473.
- [Chancibault et al.(2003)] Chancibault, Ducrocq, and Lafore] Chancibault, K., V. Ducrocq, and J. P. Lafore, 2003: A numerical study of a nontornadic supercell over France. *Mon. Wea. Rev.*, **131**, 2290–2311.
- [Chen and Sun(2004)] Chen, S.-H. and W.-Y. Sun, 2004: An explicit one-dimensional time-dependent tilting cloud model. *J. Atmos. Sci.*, **61**, 2797–2816.
- [Chin and Wilhelmson(1998)] Chin, H.-N. S. and R. B. Wilhelmson, 1998: Evolution and structure of tropical squall line environments within a moderate CAPE and strong low-level jet environment. *J. Atmos. Sci.*, **55**, 3089–3113.
- [Cohen et al.(2007)] Cohen, Coniglio, Corfidi, and Corfidi] Cohen, A. E., M. C. Coniglio, S. F. Corfidi, and S. J. Corfidi, 2007: Discrimination of mesoscale convective system environments using sounding observations. *Wea. Forecasting*, **22**, 1045–1062.
- [Cohen and Frank(1989)] Cohen, C. and W. M. Frank, 1989: A numerical study of lapse-rate adjustments in the tropical atmosphere. *Mon. Wea. Rev.*, **117**, 1891–1905.

- [Cohen and McCaul(2004)] Cohen, C. and E. W. McCaul, Jr., 2004: The sensitivity of simulated convective storms to variations in prescribed microphysics parameters. *Preprints, 22nd Conf. on Severe Local Storms*, Hyannis, MA, Amer. Meteor. Soc., CD-ROM, 8A.4.
- [Cohen and McCaul(2006)] Cohen, C. and E. W. McCaul, Jr., 2006: The sensitivity of simulated convective storms to variations in prescribed single-moment microphysics parameters that describe particle distributions, sizes, and numbers. *Mon. Wea. Rev.*, **134**, 2547–2565.
- [Cohen and McCaul(2007)] Cohen, C. and E. W. McCaul, Jr., 2007: Further results on the sensitivity of simulated storm precipitation efficiency to environmental temperature. *Mon. Wea. Rev.*, **135**, 1671–1684.
- [Colman(1990)] Colman, B. R., 1990: Thunderstorms above frontal surfaces without positive CAPE. Part I: A climatology. *Mon. Wea. Rev.*, **118**, 1103–1122.
- [Coniglio et al.(2004)Coniglio, Stensrud, and Richman] Coniglio, M. C., D. J. Stensrud, and M. B. Richman, 2004: An observational study of derecho-producing convective systems. *Wea. Forecasting*, **19**, 320–337.
- [Coniglio et al.(2006)Coniglio, Stensrud, and Wicker] Coniglio, M. C., D. J. Stensrud, and L. J. Wicker, 2006: Effects of upper-level shear on the structure and maintenance of strong quasi-linear mesoscale convective systems. *J. Atmos. Sci.*, **63**, 1231–1252.
- [Corfidi(2003)] Corfidi, S. F., 2003: Cold pools and MCS propagation: Forecasting the motion of downwind-developing MCSs. *Wea. Forecasting*, 997–1017.
- [Corfidi et al.(2006)Corfidi, Corfidi, Imy, and Logan] Corfidi, S. F., S. J. Corfidi, D. A. Imy, and A. L. Logan, 2006: A preliminary study of severe wind-producing MCSs in environments of limited moisture. *Wea. Forecasting*, **21**, 715–734.
- [Corfidi et al.(1996)Corfidi, Merritt, and Frisch] Corfidi, S. F., J. H. Merritt, and J. M. Frisch, 1996: Predicting the movement of mesoscale convective complexes. *Wea. Forecasting*, 41–46.
- [Cotton and Anthes(1989)] Cotton, W. R. and R. A. Anthes, 1989: *Storm and Cloud Dynamics*. Academic Press, 881 pp.
- [Cotton et al.(2003)] Cotton, W. R., et al., 2003: Rams 2001: Current status and future directions. *Meteorol. Atmos. Phys.*, **82**, 5–29.
- [Court and Griffiths(1983)] Court, A. and J. F. Griffiths, 1983: Thunderstorm climatology. *Thunderstorm Morphology and Dynamics, 2nd Ed.*, E. Kessler, Ed., University of Oklahoma Press, 9–40.
- [Craven and Brooks(2004)] Craven, J. P. and H. E. Brooks, 2004: Baseline climatology of sounding derived parameters associated with deep, moist convection. *Nat. Wea. Digest*, **28**, 13–24.
- [Craven et al.(2002)Craven, Jewell, and Brooks] Craven, J. P., R. E. Jewell, and H. E. Brooks, 2002: Comparison between observed convective cloud-base heights and lifting condensation level for two different lifting parcels. *Wea. Forecasting*, **17**, 885–990.
- [Crowe and Mecikalski(2008)] Crowe, C. C. and J. R. Mecikalski, 2008: An analysis of the elevated mixed layer during the Super Tuesday outbreak. *Preprints, 24th Conf. on Severe Local Storms*, St. Louis, MO, Amer. Meteor. Soc., CD-ROM, 3A.4.
- [Curic(1989)] Curic, M., 1989: Numerical modeling of thunderstorm. *Theor. Appl. Climatol.*, **40**, 227–235.
- [Davies and Johns(1993)] Davies, J. and R. Johns, 1993: Some wind and instability parameters associated with strong and violent tornadoes. 1. Wind shear and helicity. *The Tornado: Its Structure, Dynamics, Hazards, and Prediction*, Amer. Geophys. Union, Geophys. Monogr., Vol. 79, 573–582.
- [Davies(1993)] Davies, J. M., 1993: Small tornadic supercells in the central Plains. *Preprints, 17th Conf. on Severe Local Storms*, St. Louis, MO, Amer. Meteor. Soc., 305–309.
- [Davies(2004)] Davies, J. M., 2004: Estimations of CIN and LFC associated with tornadic and nontornadic supercells. *Wea. Forecasting*, **19**, 714–726.
- [Davies(2006a)] Davies, J. M., 2006a: Hurricane and tropical cyclone tornado environments from RUC proximity soundings. *Preprints, 23rd Conf. on Severe Local Storms*, St. Louis, MO, Amer. Meteor. Soc., CD-ROM, P8.1.
- [Davies(2006b)] Davies, J. M., 2006b: RUC soundings with cool season tornadoes in “small” CAPE settings and the 6 November 2005 Evansville, Indiana tornado. *Preprints, 23rd Conf. on Severe Local Storms*, St. Louis, MO, Amer. Meteor. Soc., CD-ROM, 4.3.
- [Davies(2006c)] Davies, J. M., 2006c: Tornadoes with cold core 500-mb lows. *Wea. Forecasting*, **21**, 1051–1062.

- [Davies-Jones(2003)] Davies-Jones, R., 2003: Comment on “Linear and nonlinear propagation of supercell storms”–Reply. *J. Atmos. Sci.*, **60**, 2420–2426.
- [Davies-Jones(2004)] Davies-Jones, R., 2004: Growth of circulation around supercell updrafts. *J. Atmos. Sci.*, **61**, 2863–2876.
- [Davies-Jones(2006)] Davies-Jones, R., 2006: Integrals of the vorticity equation. Part I: General three- and two-dimensional flows. *J. Atmos. Sci.*, **63**, 598–610.
- [Davies-Jones and Brooks(1993)] Davies-Jones, R. and H. E. Brooks, 1993: Mesocyclogenesis from a theoretical perspective. *The Tornado: Its Structure, Dynamics, Hazards, and Prediction*, Amer. Geophys. Union, Geophys. Monogr., Vol. 79, 105–114.
- [Davies-Jones(1983a)] Davies-Jones, R. P., 1983a: The onset of rotation in thunderstorms. *Preprints, 13th Conf. on Severe Local Storms*, Tulsa, OK, Amer. Meteor. Soc., 215–218.
- [Davies-Jones(1983b)] Davies-Jones, R. P., 1983b: Tornado dynamics. *Thunderstorm Morphology and Dynamics, 2nd Ed.*, E. Kessler, Ed., University of Oklahoma Press, 197–236.
- [Davies-Jones(1984)] Davies-Jones, R. P., 1984: Streamwise vorticity—the origin of updraft rotation in supercell storms. *J. Atmos. Sci.*, **41**, 2991–3006.
- [Davies-Jones(1998)] Davies-Jones, R. P., 1998: Tornadoes and tornadic storms. *Preprints, 19th Conf. on Severe Local Storms*, Minneapolis, MN, Amer. Meteor. Soc., 185.
- [Davies-Jones(2002)] Davies-Jones, R. P., 2002: Linear and nonlinear propagation of supercell storms. *J. Atmos. Sci.*, **59**, 3178–3205.
- [Davies-Jones et al.(1990)Davies-Jones, Burgess, and Foster] Davies-Jones, R. P., D. Burgess, and M. Foster, 1990: Test of helicity as a tornado forecast parameter. *Preprints, 16th Conf. on Severe Local Storms*, Kananaskis Park, AB, Canada, Amer. Meteor. Soc., 588–592.
- [Davies-Jones et al.(1994)Davies-Jones, Doswell, and Brooks] Davies-Jones, R. P., C. A. Doswell, and H. E. Brooks, 1994: Comments on initiation and evolution of updraft rotation within an incipient supercell thunderstorm. *J. Atmos. Sci.*, **51**, 326–331.
- [Davis(2001)] Davis, R. S., 2001: Flash flood forecast and detection methods. *Severe Convective Storms*, C. A. Doswell, III, Ed., Amer. Met. Soc., Boston, MA, Meteor. Monogr., Vol. 50, 481–525.
- [Dean and Schneider(2008)] Dean, A. R. and R. S. Schneider, 2008: Forecast challenges at the NWS Storm Prediction Center relating to the frequency of favorable severe storm environments. *Preprints, 24th Conf. on Severe Local Storms*, Savannah, GA, Amer. Meteor. Soc., CD-ROM, 9A.2.
- [Dean et al.(2009)Dean, Schneider, Thompson, Hart, and Bothwell] Dean, A. R., R. S. Schneider, R. L. Thompson, J. Hart, and P. D. Bothwell, 2009: The conditional risk of severe convection estimated from archived NWS/Storm Prediction Center mesoscale objective analyses: Potential uses in support of forecast operations and verification. *Preprints, 23rd Conf. on Wea. Analysis and Forecasting*, Omaha, NE, Amer. Meteor. Soc., CD-ROM, 6A.5.
- [Del Genio et al.(2007)Del Genio, Yao, and Jonas] Del Genio, A. D., M.-S. Yao, and J. Jonas, 2007: Will moist convection be stronger in a warmer climate? *Geophys. Res. Lett.*, **34**, L16703.
- [DeRubertis(2006)] DeRubertis, D., 2006: Recent trends in four common stability indices derived from U.S. radiosonde observations. *J. Clim.*, **19**, 309–323.
- [Doswell(1982)] Doswell, C., III, 1982: *The Operational Meteorology of Convective Weather. Volume I: Operational Mesoanalysis*. NOAA Technical Memorandum NWS NSSFC-5.
- [Doswell and Markowski(2004)] Doswell, C. A. and P. M. Markowski, 2004: Is buoyancy a relative quantity? *Mon. Wea. Rev.*, **132**, 853–863.
- [Doswell(2001)] Doswell, C. A., III, 2001: Severe convective storms – an overview. *Severe Convective Storms*, C. A. Doswell, III, Ed., Amer. Met. Soc., Boston, MA, Meteor. Monogr., Vol. 50, 1–26.
- [Doswell and Bosart(2001)] Doswell, C. A., III and L. Bosart, 2001: Extratropical synoptic-scale processes and severe convection. *Severe Convective Storms*, C. A. Doswell, III, Ed., Amer. Met. Soc., Boston, MA, Meteor. Monogr., Vol. 50, 27–69.
- [Doswell et al.(1996)Doswell, Brooks, and Maddox] Doswell, C. A., III, H. E. Brooks, and R. A. Maddox, 1996: Flash flood forecasting: An ingredients-based methodology. *Wea. Forecasting*, **11**, 560–581.
- [Doswell and Burgess(1993)] Doswell, C. A., III and D. W. Burgess, 1993: Tornadoes and tornadic storms: A review of conceptual models. *The Tornado: Its Structure, Dynamics, Hazards, and Prediction*, Amer. Geophys. Union, Geophys. Monogr., Vol. 79, 161–172.

- [Doswell and Rasmussen(1994)] Doswell, C. A., III and E. N. Rasmussen, 1994: The effect of neglecting the virtual temperature correction on CAPE calculations. *Wea. Forecasting*, **9**, 619–623.
- [Doswell and Schultz(2006)] Doswell, C. A., III and D. M. Schultz, 2006: On the use of indices and parameters in forecasting severe storms. *Electronic J. Severe Storms Meteor.*, **1**, 1–22.
- [Dowell and Bluestein(1997)] Dowell, D. C. and H. B. Bluestein, 1997: The Arcadia, Oklahoma, storm of 17 May 1981: Analysis of a supercell during tornadogenesis. *Mon. Wea. Rev.*, **125**, 2562–2582.
- [Droegemeier et al.(1993)Droegemeier, Lazarus, and Davies-Jones] Droegemeier, K. K., S. M. Lazarus, and R. P. Davies-Jones, 1993: The influence of helicity on numerically simulated convective storms. *Mon. Wea. Rev.*, **121**, 2005–2029.
- [Droegemeier and Wilhelmson(1987)] Droegemeier, K. K. and R. B. Wilhelmson, 1987: Numerical-simulation of thunderstorm outflow dynamics. I. Outflow sensitivity experiments and turbulence dynamics. *J. Atmos. Sci.*, **44**, 1180–1210.
- [Duda and Gallus(2010)] Duda, J. D. and W. A. Gallus, Jr., 2010: Spring and summer Midwestern severe weather reports in supercells compared to other morphologies. *Wea. Forecasting*, **25**, 190–206.
- [Dupilka and Reuter(2006)] Dupilka, M. L. and G. W. Reuter, 2006: Forecasting tornadic thunderstorm potential in Alberta using environmental sounding data. Part II: Helicity, precipitable water, and storm convergence. *Wea. Forecasting*, **21**, 336–346.
- [Dutton(1976)] Dutton, J. A., 1976: *Dynamics of Atmospheric Motion*. Dover Publications, New York, 617 pp.
- [Elliott and Gaffen(1991)] Elliott, W. P. and D. J. Gaffen, 1991: On the utility of radiosonde humidity archives for climate studies. *Bull. Amer. Meteorol. Soc.*, **72**, 1507–1520.
- [Elliott and Gaffen(1993)] Elliott, W. P. and D. J. Gaffen, 1993: Effects of conversion algorithms on reported upper-air dewpoint depressions. *Bull. Amer. Meteorol. Soc.*, **74**, 1323–1325.
- [Elmore et al.(2002a)Elmore, Stensrud, and Crawford] Elmore, K. L., D. J. Stensrud, and K. C. Crawford, 2002a: Ensemble cloud model applications to forecasting thunderstorms. *J. Appl. Meteorol.*, **41**, 363–383.
- [Elmore et al.(2002b)Elmore, Stensrud, and Crawford] Elmore, K. L., D. J. Stensrud, and K. C. Crawford, 2002b: Explicit cloud-scale models for operational forecasts: A note of caution. *Wea. Forecasting*, **17**, 873–884.
- [Emanuel(1994)] Emanuel, K. A., 1994: *Atmospheric Convection*. Oxford University Press, New York, 580 pp.
- [Esterheld and Giuliano(2008)] Esterheld, J. M. and D. J. Giuliano, 2008: Discriminating between tornadic and non-tornadic supercells: A new hodograph technique. *Electronic J. Severe Storms Meteor.*, **3**, 1–50.
- [Etkin et al.(2001)Etkin, Brun, Shabbar, and Joe] Etkin, D., S. E. Brun, A. Shabbar, and P. Joe, 2001: Tornado climatology of Canada revisited: Tornado activity during different phases of ENSO. *Int. J. Climatol.*, **21**, 915–938.
- [Evans and Doswell(2001)] Evans, J. S. and C. A. Doswell, III, 2001: Examination of derecho environments using proximity soundings. *Wea. Forecasting*, **16**, 329–342.
- [Fankhauser(1988)] Fankhauser, J. C., 1988: Estimates of thunderstorm precipitation efficiency from field measurements in CCOPE. *Mon. Wea. Rev.*, **116**, 663–684.
- [Fankhauser et al.(1992)Fankhauser, Barnes, and Lemone] Fankhauser, J. C., G. M. Barnes, and M. A. Lemone, 1992: Structure of a midlatitude squall line formed in strong unidirectional shear. *Mon. Wea. Rev.*, **120**, 237–260.
- [Fawbush and Miller(1953)] Fawbush, E. J. and R. C. Miller, 1953: A method for forecasting hailstone size at the earth’s surface. *Bull. Amer. Meteorol. Soc.*, **34**, 235–244.
- [Fawbush and Miller(1954)] Fawbush, E. J. and R. C. Miller, 1954: A basis for forecasting peak wind gusts in non-frontal thunderstorms. *Bull. Amer. Meteorol. Soc.*, **35**, 14–19.
- [Ferrier(1994)] Ferrier, B. S., 1994: A double-moment multiple-phase four-class bulk ice scheme. Part I: Description. *J. Atmos. Sci.*, **51**, 249–280.
- [Ferrier et al.(1996)Ferrier, Simpson, and Tao] Ferrier, B. S., J. Simpson, and W.-K. Tao, 1996: Factors responsible for precipitation efficiencies in midlatitude and tropical squall line simulations. *Mon. Wea. Rev.*, **124**, 2100–2125.

- [Finley et al.(2001)Finley, Cotton, and Pielke] Finley, C. A., W. R. Cotton, and R. A. Pielke, 2001: Numerical simulation of tornadogenesis in a high-precipitation supercell. Part I: Storm evolution and transition into a bow echo. *J. Atmos. Sci.*, **58**, 1597–1629.
- [Finley(1884)] Finley, J. P., 1884: Tornado predictions. *Amer. Meteor. J.*, **1**, 85–88.
- [Finley(1888)] Finley, J. P., 1888: Tornadoes. First prize essay. *Amer. Meteor. J.*, **5**, 165–179.
- [Foote(1985)] Foote, G. B., 1985: Aspects of cumulonimbus classification relevant to the hail problem. *J. Rech. Atmos.*, **19**, 61–74.
- [Foster(1958)] Foster, D. S., 1958: Thunderstorm gusts compared with computed downdraft speeds. *Mon. Wea. Rev.*, **86**, 91–94.
- [Foufoula-Georgiou and Krajewski(1995)] Foufoula-Georgiou, E. and W. Krajewski, 1995: Recent advances in rainfall modeling, estimation, and forecasting. *Rev. Geophys.*, **33**, 1125–1138.
- [Fujita(1959)] Fujita, T., 1959: Precipitation and cold air production in mesoscale thunderstorm systems. *Mon. Wea. Rev.*, 454–466.
- [Fujita(1985)] Fujita, T. T., 1985: *The Downburst: Microburst and Macrobust*. Chicago University Press, 122 pp.
- [Gaffen(1993)] Gaffen, D. J., 1993: *Historical Changes in Radiosonde Instruments and Practices, Final Report*. WMO Instruments and Observing Methods Rep. 50, WMO/TD No. 541, WMO, Geneva, Switzerland, 123 pp.
- [Gaffen(1994)] Gaffen, D. J., 1994: Temporal inhomogeneities in radiosonde temperature records. *J. Geophys. Res.-Atmos.*, **99**, 3667–3676.
- [Gaffen and Ross(1999)] Gaffen, D. J. and R. J. Ross, 1999: Climatology and trends of U.S. surface humidity and temperature. *J. Clim.*, **72**, 1507–1520.
- [Gallus et al.(2008)Gallus, Snook, and Johnson] Gallus, W. A., Jr., N. A. Snook, and E. V. Johnson, 2008: Spring and summer severe weather reports over the Midwest as a function of convective mode: A preliminary study. *Wea. Forecasting*, **23**, 101–113.
- [Geerts et al.(2009)Geerts, Andretta, Luberda, Vogt, Wang, Oolman, Finch, and Bikos] Geerts, B., T. Andretta, S. J. Luberda, J. Vogt, Y. Wang, L. D. Oolman, J. Finch, and D. Bikos, 2009: A case study of a long-lived tornadic mesocyclone in a low-CAPE complex-terrain environment. *Electronic J. Severe Storms Meteor.*, **4**, 1–29.
- [Gilmore and Wicker(1998)] Gilmore, M. and L. J. Wicker, 1998: The influence of mid-tropospheric dryness on supercell morphology and evolution. *Mon. Wea. Rev.*, **126**, 943–958.
- [Gilmore et al.(2004)Gilmore, Straka, and Rasmussen] Gilmore, M. S., J. M. Straka, and E. N. Rasmussen, 2004: Precipitation and evolution sensitivity in simulated deep convective storms: Comparisons between liquid-only and simple ice and liquid phase microphysics. *Mon. Wea. Rev.*, **132**, 1897–1916.
- [Golden and Morgan(1972)] Golden, J. H. and B. J. Morgan, 1972: The NSSL-Notre Dame tornado intercept program, Spring 1972. *Bull. Amer. Meteorol. Soc.*, **53**, 1178–1180.
- [Groenemeijer and van Delden(2007)] Groenemeijer, P. H. and A. van Delden, 2007: Sounding-derived parameters associated with large hail and tornadoes in the Netherlands. *Atmos. Res.*, **83**, 473–487.
- [Guyer and Davies(2006)] Guyer, J. L. and J. M. Davies, 2006: Environment characteristics associated with tornado events near closed cold core 500-mb lows. *Preprints, 23rd Conf. on Severe Local Storms*, St. Louis, MO, Amer. Meteor. Soc., CD-ROM, P1.1.
- [Hamill and Church(2000)] Hamill, T. M. and A. T. Church, 2000: Conditional probabilities of significant tornadoes from RUC-2 forecasts. *Wea. Forecasting*, **15**, 461–475.
- [Heymsfield and Schotz(1993)] Heymsfield, G. M. and S. Schotz, 1993: Structure and evolution of a severe squall line over Oklahoma. *Mon. Wea. Rev.*, **113**, 1563–1589.
- [Hicks et al.(2005)Hicks, Smith, Miller, and Nelson] Hicks, N. S., J. A. Smith, A. J. Miller, and P. A. Nelson, 2005: Catastrophic flooding from an orographic thunderstorm in the Central Appalachians. *Water Resour. Res.*, **41**, W12428.
- [Hirth et al.(2008)Hirth, Schroeder, and Weiss] Hirth, B. D., J. L. Schroeder, and C. C. Weiss, 2008: Surface analysis of rear-flank downdraft outflow in two tornadic supercells. *Mon. Wea. Rev.*, **136**, 2344–2363.
- [Hobbs(1981)] Hobbs, P. V., 1981: The Seattle Workshop on Extratropical Cyclones: A call for a National Cyclone Project. *Bull. Amer. Meteorol. Soc.*, **62**, 244–254.
- [Horgan et al.(2007)Horgan, Schultz, Johns, Hales, and Corfidi] Horgan, K. L., D. M. Schultz, R. H. Johns, J. E. Hales, and S. F. Corfidi, 2007: A five-year climatology of elevated severe

- convective storms in the United States east of the Rocky Mountains. *Wea. Forecasting*, **22**, 1031–1044.
- [Houston and Niyogi(2007)] Houston, A. L. and D. Niyogi, 2007: The sensitivity of convective initiation to the lapse rate of the active cloud-bearing layer. *Mon. Wea. Rev.*, **135**, 3013–3032.
- [Humphreys(1914)] Humphreys, W. J., 1914: The thunderstorm and its phenomena. *Mon. Wea. Rev.*, **42**, 348–380.
- [Jackson and Billet(2008)] Jackson, B. A. and J. Billet, 2008: An analysis of the 28 April 2008 southeast Virginia tornado outbreak. *Preprints, 24th Conf. on Severe Local Storms*, St. Louis, MO, Amer. Meteor. Soc., CD-ROM, P3.15.
- [James and Markowski(2010)] James, R. P. and P. M. Markowski, 2010: A numerical investigation of the effects of dry air aloft on deep convection. *Mon. Wea. Rev.*, **138**, 140–161.
- [James et al.(2006)James, Markowski, and Fritsch] James, R. P., P. M. Markowski, and J. M. Fritsch, 2006: Bow echo sensitivity to ambient moisture and cold pool strength. *Mon. Wea. Rev.*, **134**, 950–964.
- [Jarque and Bera(1980)] Jarque, C. M. and A. K. Bera, 1980: Efficient tests for normality, homoscedasticity and serial independence of regression residuals. *Econ. Lett.*, **6**, 255–259.
- [Javier et al.(2007)Javier, Smith, England, Baeck, Steiner, and Ntelekos] Javier, J., J. A. Smith, J. England, M. L. Baeck, M. Steiner, and A. A. Ntelekos, 2007: Climatology of extreme rainfall and flooding from orographic thunderstorm systems in the upper Arkansas River basin. *Water Resour. Res.*, **43**, W10410.
- [Jiang et al.(2006)Jiang, Lau, and Klein] Jiang, X. N., N. C. Lau, and S. A. Klein, 2006: Role of eastward propagating convection systems in the diurnal cycle and seasonal mean of summertime rainfall over the U.S. Great plains. *Geophys. Res. Lett.*, **33**, L19809.
- [Jirak and Cotton(2007)] Jirak, I. L. and W. R. Cotton, 2007: Observational analysis of the predictability of mesoscale convective systems. *Wea. Forecasting*, **22**, 813–838.
- [Johns et al.(1993)Johns, Davies, and Leftwich] Johns, R. H., J. M. Davies, and P. W. Leftwich, 1993: Some wind and instability parameters associated with strong and violent tornadoes. 2. variations in the combinations of wind and instability parameters. *The Tornado: Its Structure, Dynamics, Hazards, and Prediction*, Amer. Geophys. Union, Geophys. Monogr., Vol. 79, 583–590.
- [Johnson et al.(1993)Johnson, Wang, and Straka] Johnson, D. E., P. K. Wang, and J. M. Straka, 1993: Numerical simulations of the 2 August 1981 CCOPE supercell storm with and without ice microphysics. *J. Appl. Meteorol.*, **32**, 745–759.
- [Jonkman(2005)] Jonkman, S. N., 2005: Global perspectives on loss of human life caused by floods. *Nat. Hazards*, **34**, 151–175.
- [Kalnay et al.(1996)] Kalnay, E., et al., 1996: The NCEP/NCAR 40-year reanalysis project. *Bull. Amer. Meteorol. Soc.*, **77**, 437–471.
- [Kellenbenz et al.(2007)Kellenbenz, Grafenauer, and Davies] Kellenbenz, D. J., T. J. Grafenauer, and J. M. Davies, 2007: The North Dakota tornadic supercells of 18 July 2004: Issues concerning high LCL heights and evapotranspiration. *Wea. Forecasting*, **22**, 1200–1213.
- [Kennedy et al.(1993)Kennedy, Westcott, and Scott] Kennedy, P. C., N. E. Westcott, and R. W. Scott, 1993: Single-Doppler radar observations of a mini-supercell tornadic thunderstorm. *Mon. Wea. Rev.*, **121**, 1860–1870.
- [Kerr and Darkow(1996)] Kerr, B. W. and G. L. Darkow, 1996: Storm-relative winds and helicity in the tornadic thunderstorm environment. *Wea. Forecasting*, **11**, 489–505.
- [Kirkpatrick(2008)] Kirkpatrick, C., 2008: Recent trends in North American convective forecast parameters (1979–2007). *Eos Trans. AGU*, **89**, Fall Meet. Suppl., Abstract A41B-0088. Synopsis available at <http://talismanred.com/work/agu08/>.
- [Kirkpatrick(2010)] Kirkpatrick, C., 2010: *Numerical Investigations into the Environmental Conditions that affect Convective Storm Behavior*. PhD Dissertation, University of Alabama in Huntsville, 197 pp.
- [Kirkpatrick and McCaul(2004)] Kirkpatrick, C. and E. W. McCaul, Jr., 2004: The motion of simulated convective storms as a function of basic environmental parameters. *Preprints, 22nd Conf. on Severe Local Storms*, Hyannis, MA, Amer. Meteor. Soc., CD-ROM, 8A.4.
- [Kirkpatrick and McCaul(2008)] Kirkpatrick, C. and E. W. McCaul, Jr., 2008: Storm-relative flow and its relationship to low-level vorticity in simulated storms. *Preprints, 24th Conf. on Severe Local Storms*, Savannah, GA, Amer. Meteor. Soc., CD-ROM, 15.2.

- [Kirkpatrick and McCaul(2009a)] Kirkpatrick, C. and E. W. McCaul, Jr., 2009a: Environmental influences on precipitation intensity in simulated convective storms. *Eos. Trans AGU*, **90**, Jt. Assem. Suppl., Abstract H13C-02.
- [Kirkpatrick and McCaul(2009b)] Kirkpatrick, C. and E. W. McCaul, Jr., 2009b: Simulations of convective storms in low CAPE, high shear environments. *Eos. Trans AGU*, **90**, Jt. Assem. Suppl., Abstract A11D-04.
- [Kirkpatrick et al.(2006)Kirkpatrick, McCaul, and Cohen] Kirkpatrick, C., E. W. McCaul, Jr., and C. Cohen, 2006: The influence of eight basic environmental parameters on the low-level rotation characteristics of simulated convective storms. *Preprints, 23rd Conf. on Severe Local Storms*, St. Louis, MO, Amer. Meteor. Soc., CD-ROM, 16.3.
- [Kirkpatrick et al.(2007a)Kirkpatrick, McCaul, and Cohen] Kirkpatrick, C., E. W. McCaul, Jr., and C. Cohen, 2007a: The environmental parameters that influence simulated convective storm precipitation: Results from a large parameter space study. *Eos Trans. AGU*, **88**, Fall Meet. Suppl., Abstract H31B-0355. Synopsis available at <http://talismanred.com/work/agu07/>.
- [Kirkpatrick et al.(2007b)Kirkpatrick, McCaul, and Cohen] Kirkpatrick, C., E. W. McCaul, Jr., and C. Cohen, 2007b: The motion of simulated convective storms as a function of basic environmental parameters. *Mon. Wea. Rev.*, **135**, 3033–3051.
- [Kirkpatrick et al.(2009)Kirkpatrick, McCaul, and Cohen] Kirkpatrick, C., E. W. McCaul, Jr., and C. Cohen, 2009: Variability of updraft and downdraft characteristics in a large parameter space study of convective storms. *Mon. Wea. Rev.*, **137**, 1550–1561.
- [Kirkpatrick et al.(2010a)Kirkpatrick, McCaul, and Cohen] Kirkpatrick, C., E. W. McCaul, Jr., and C. Cohen, 2010a: Relationships between sounding-derived parameters and simulated convective storm surface outflows. *Submitted for presentation at the 24th WAF/20th NWP Conference, Seattle, WA*.
- [Kirkpatrick et al.(2010b)Kirkpatrick, McCaul, and Cohen] Kirkpatrick, C., E. W. McCaul, Jr., and C. Cohen, 2010b: Unique aspects of simulated storms in low CAPE environments. *Submitted to Mon. Wea. Rev.*
- [Klein et al.(2006)Klein, Jiang, Boyle, Malyshev, and Xie] Klein, S. A., X. Jiang, J. Boyle, S. Malyshev, and S. Xie, 2006: Diagnosis of the summertime warm and dry bias over the U. S. Southern Great Plains in the GFDL climate model using a weather forecasting approach. *Geophys. Res. Lett.*, **33**, L18805.
- [Klemp(1987)] Klemp, J. B., 1987: Dynamics of tornadic thunderstorms. *Ann. Rev. Fluid Mechanics*, **19**, 369–402.
- [Klemp and Wilhelmson(1978)] Klemp, J. B. and R. B. Wilhelmson, 1978: The simulation of three-dimensional convective storm dynamics. *J. Atmos. Sci.*, **35**, 1070–1096.
- [Klemp et al.(1981)Klemp, Wilhelmson, and Ray] Klemp, J. B., R. B. Wilhelmson, and P. S. Ray, 1981: Observed and numerically simulated structure of a mature supercell thunderstorm. *J. Atmos. Sci.*, **38**, 1558–1580.
- [Klimowski et al.(2003)Klimowski, Bunkers, Hjelmfelt, and Covert] Klimowski, B. A., M. J. Bunkers, M. R. Hjelmfelt, and J. N. Covert, 2003: Severe convective windstorms over the Northern High Plains of the United States. *Wea. Forecasting*, **18**, 502–519.
- [Knight and Knight(2001)] Knight, C. A. and N. C. Knight, 2001: Hailstorms (review panel response). *Severe Convective Storms*, C. A. Doswell, III, Ed., Amer. Met. Soc., Boston, MA, Meteor. Monogr., Vol. 50, 223–254.
- [Knight et al.(2008)Knight, Davis, Sheridan, Hondula, Sitka, Deaton, Lee, and Gawtry] Knight, D. B., R. E. Davis, S. C. Sheridan, D. M. Hondula, L. J. Sitka, M. Deaton, T. R. Lee, and S. D. Gawtry, 2008: Increasing frequencies of warm and humid air masses over the conterminous United States from 1948 to 2005. *Geophys. Res. Lett.*, **35**, L10702.
- [Knupp(1987)] Knupp, K. R., 1987: Downdrafts within High Plains cumulonimbi. Part I: General kinematic structure. *J. Atmos. Sci.*, **44**, 987–1008.
- [Knupp(1988)] Knupp, K. R., 1988: Downdrafts within High Plains cumulonimbi. Part II: Dynamics and thermodynamics. *J. Atmos. Sci.*, **45**, 3965–3982.
- [Knupp et al.(1998)Knupp, Stalker, and McCaul] Knupp, K. R., J. R. Stalker, and E. W. McCaul, 1998: An observational and numerical study of a mini-supercell storm. *Atmos. Res.*, **49**, 35–63.

- [Kramar et al.(2005)Kramar, Bluestein, Pazmany, and Tuttle] Kramar, M. R., H. B. Bluestein, A. L. Pazmany, and J. D. Tuttle, 2005: The “Owl Horn” radar signature in developing Southern Plains supercells. *Mon. Wea. Rev.*, **133**, 2608–2634.
- [Kuchera and Parker(2006)] Kuchera, E. L. and M. D. Parker, 2006: Severe convective wind environments. *Wea. Forecasting*, **21**, 595–612.
- [Lamb(2001)] Lamb, D., 2001: Rain production in convective storms. *Severe Convective Storms*, C. A. Doswell, III, Ed., Amer. Met. Soc., Boston, MA, Meteor. Monogr., Vol. 50, 299–321.
- [Lanucci and Warner(1991)] Lanucci, J. M. and T. T. Warner, 1991: A synoptic climatology of the elevated-mixed layer inversion over the southern Great Plains in spring. Part I: Structure, dynamics, and seasonal evolution. *Wea. Forecasting*, **6**, 181–197.
- [Lanzante(1996)] Lanzante, J. R., 1996: Resistant, robust and nonparametric techniques for the analysis of climate data: Theory and examples, including applications to historical radiosonde station data. *Int. J. Climatol.*, **16**, 1197–1226.
- [Lee(2002)] Lee, J. W., 2002: *Tornado Proximity Soundings from the NCEP/NCAR Reanalysis Data*. MS Thesis, University of Oklahoma, 61 pp.
- [Lemon and Doswell(1979)] Lemon, L. R. and C. A. Doswell, 1979: Severe thunderstorm evolution and mesocyclone structure as related to tornadogenesis. *Mon. Wea. Rev.*, **107**, 1184–1197.
- [LeMone(1989)] LeMone, M. A., 1989: The influence of vertical wind shear on the diameter of cumulus clouds in CCOPE. *Mon. Wea. Rev.*, **117**, 1480–1491.
- [Li et al.(2004)Li, Gao, and Liu] Li, Y., S. Gao, and J. Liu, 2004: Assessment of several moist adiabatic processes associated with convective energy calculation. *Adv. Atmos. Sci.*, **21**, 941–950.
- [Lilly(1962)] Lilly, D. K., 1962: On the numerical simulation of buoyant convection. *Tellus*, **14**, 148–172.
- [Lilly(1986)] Lilly, D. K., 1986: The structure, energetics and propagation of rotating convective storms. 2. Helicity and storm stabilization. *J. Atmos. Sci.*, **43**, 126–140.
- [Liu and Meriwether(2004)] Liu, H.-L. and J. W. Meriwether, 2004: Analysis of a temperature inversion event in the lower mesosphere. *J. Geophys. Res.*, **108**, D02S07, doi: 10.1029/2002JD003026, in press.
- [Luo et al.(2007)Luo, Berbery, Mitchell, and Betts] Luo, Y., E. H. Berbery, K. E. Mitchell, and A. K. Betts, 2007: Relationships between land surface and near-surface atmospheric variables in the NCEP North American Regional Reanalysis. *J. Hydromet.*, **8**, 1184–1203.
- [Lynn et al.(2005)Lynn, Khain, Dudhia, Rosenfeld, Pokrovsky, and Seifert] Lynn, B. H., A. P. Khain, J. Dudhia, D. Rosenfeld, A. Pokrovsky, and A. Seifert, 2005: Spectral (Bin) microphysics coupled with a mesoscale model (MM5). Part I: Model description and first results. *Mon. Wea. Rev.*, **133**, 44–58.
- [MacGorman et al.(2005)MacGorman, Rust, Krehbiel, Rison, Bruning, and Wiens] MacGorman, D. R., W. D. Rust, P. Krehbiel, W. Rison, E. Bruning, and K. Wiens, 2005: The electrical structure of two supercell storms during STEPS. *Mon. Wea. Rev.*, **133**, 2583–2607.
- [Maddox(1976)] Maddox, R. A., 1976: An evaluation of tornado proximity wind and stability data. *Mon. Wea. Rev.*, **104**, 133–142.
- [Maddox(1987)] Maddox, R. A., 1987: Mesoscale and severe storm meteorology. *Rev. Geophys.*, **25**, 329–356.
- [Magsig et al.(2002)Magsig, Burgess, Dowell, Richardson, and Wurman] Magsig, M., D. Burgess, D. Dowell, Y. Richardson, and J. Wurman, 2002: The structure and evolution of hook echoes during tornadogenesis as revealed by high resolution radar data. *Preprints, 21st Conf. on Severe Local Storms*, San Antonio, Amer. Meteor. Soc., CD-ROM, 12.6.
- [Mahoney and Lackmann(2007)] Mahoney, K. M. and G. M. Lackmann, 2007: The effect of upstream convection on downstream precipitation. *Wea. Forecasting*, **22**, 255–277.
- [Manzato and Morgan(2003)] Manzato, A. and G. Morgan, Jr., 2003: Evaluating the sounding instability with the lifted parcel theory. *Atmos. Res.*, **67–68**, 455–473.
- [Market et al.(2003)Market, Allen, Scofield, Kuligowski, and Gruber] Market, P., S. Allen, R. Scofield, R. Kuligowski, and A. Gruber, 2003: Precipitation efficiency of warm-season Midwestern mesoscale convective systems. *Wea. Forecasting*, **18**, 1273–1285.
- [Markowski et al.(2003a)Markowski, Hannon, Frame, Lancaster, Pietrycha, Edwards, and Thompson] Markowski, P., C. Hannon, J. Frame, E. Lancaster, A. Pietrycha, R. Edwards, and R. L.

- Thompson, 2003a: Characteristics of vertical wind profiles near supercells obtained from the Rapid Update Cycle. *Wea. Forecasting*, **18**, 1262–1272.
- [Markowski and Richardson(2006)] Markowski, P. and Y. Richardson, 2006: On the classification of vertical wind shear as directional shear versus speed shear. *Wea. Forecasting*, **21**, 242–247.
- [Markowski(2002)] Markowski, P. M., 2002: Hook echoes and rear-flank downdrafts: A review. *Mon. Wea. Rev.*, **130**, 852–876.
- [Markowski and Harrington(2005)] Markowski, P. M. and J. Y. Harrington, 2005: A simulation of a supercell thunderstorm with emulated radiative cooling beneath the anvil. *J. Atmos. Sci.*, **62**, 2607–2617.
- [Markowski et al.(1998a)Markowski, Rasmussen, and Straka] Markowski, P. M., E. N. Rasmussen, and J. M. Straka, 1998a: The occurrence of tornadoes in supercells interacting with boundaries during VORTEX-95. *Wea. Forecasting*, **13**, 852–859.
- [Markowski et al.(2002)Markowski, Rasmussen, and Straka] Markowski, P. M., E. N. Rasmussen, and J. M. Straka, 2002: Direct surface thermodynamic observations within the rear-flank downdrafts of tornadic and nontornadic supercells. *Mon. Wea. Rev.*, **130**, 1692–1721.
- [Markowski et al.(1998b)Markowski, Rasmussen, Straka, and Dowell] Markowski, P. M., E. N. Rasmussen, J. M. Straka, and D. C. Dowell, 1998b: Observations of low-level baroclinity generated by anvil shadows. *Mon. Wea. Rev.*, **126**, 2942–2958.
- [Markowski and Richardson(2007)] Markowski, P. M. and Y. P. Richardson, 2007: Observations of vertical wind shear heterogeneity in convective boundary layers. *Mon. Wea. Rev.*, **135**, 843–861.
- [Markowski and Richardson(2009)] Markowski, P. M. and Y. P. Richardson, 2009: Tornadogenesis: Our current understanding, forecasting considerations, and questions to guide future research. *Atmos. Res.*, **93**, 3–10.
- [Markowski and Straka(2000)] Markowski, P. M. and J. M. Straka, 2000: Some observations of rotating updrafts in a low-buoyancy, highly sheared environment. *Mon. Wea. Rev.*, **128**, 449–461.
- [Markowski et al.(2003b)Markowski, Straka, and Rasmussen] Markowski, P. M., J. M. Straka, and E. N. Rasmussen, 2003b: Tornadogenesis resulting from the transport of circulation by a downdraft: Idealized numerical simulations. *J. Atmos. Sci.*, **60**, 795–823.
- [Markowski and Richardson(2010)] Markowski, P. and Y. Richardson, 2010: *Mesoscale Meteorology in Midlatitudes*. Wiley-Blackwell, Hoboken, NJ, 407 pp.
- [Marwitz(1972)] Marwitz, J. D., 1972: Precipitation efficiency of thunderstorms on the High Plains. *J. Res. Atmos.*, **6**, 367–370.
- [McCann(1994)] McCann, D. W., 1994: WINDEX—A new index for forecasting microburst potential. *Wea. Forecasting*, **9**, 532–541.
- [McCaul et al.(2004)McCaul, Buechler, Goodman, and Cammarata] McCaul, E. W., D. E. Buechler, S. J. Goodman, and M. Cammarata, 2004: Doppler radar and lightning network observations of a severe outbreak of tropical cyclone tornadoes. *Mon. Wea. Rev.*, **132**, 1747–1763.
- [McCaul(1989)] McCaul, E. W., Jr., 1989: *The Dynamics of Simulated Convective Storms in Hurricane Environments*. PhD Dissertation, University of Oklahoma, 185 pp.
- [McCaul(1991)] McCaul, E. W., Jr., 1991: Buoyancy and shear characteristics of hurricane-tornado environments. *Mon. Wea. Rev.*, **119**, 1954–1978.
- [McCaul and Blanchard(1990)] McCaul, E. W., Jr. and D. O. Blanchard, 1990: A low-precipitation cumulonimbus along the dryline in Colorado. *Mon. Wea. Rev.*, **118**, 2768–2773.
- [McCaul and Cohen(2002)] McCaul, E. W., Jr. and C. Cohen, 2002: The impact on simulated storm structure and intensity of variations in the mixed layer and moist layer depths. *Mon. Wea. Rev.*, **130**, 1722–1748.
- [McCaul and Cohen(2004)] McCaul, E. W., Jr. and C. Cohen, 2004: The initiation, longevity, and morphology of simulated convective storms as a function of free tropospheric relative humidity. *Preprints, 22nd Conf. on Severe Local Storms*, Hyannis, MA, Amer. Meteor. Soc., CD-ROM, 8A.5.
- [McCaul et al.(2005)McCaul, Cohen, and Kirkpatrick] McCaul, E. W., Jr., C. Cohen, and C. Kirkpatrick, 2005: The sensitivity of simulated storm structure, intensity, and precipitation efficiency to environmental temperature. *Mon. Wea. Rev.*, **133**, 3015–3037.

- [McCaul et al.(2009)McCaul, Goodman, LaCasse, and Cecil] McCaul, E. W., Jr., S. J. Goodman, K. M. LaCasse, and D. J. Cecil, 2009: Forecasting lightning threat using cloud-resolving model simulations. *Wea. Forecasting*, **24**, 709–729.
- [McCaul and Weisman(1996)] McCaul, E. W., Jr. and M. L. Weisman, 1996: Simulations of shallow supercell storms in landfalling hurricane environments. *Mon. Wea. Rev.*, **124**, 408–429.
- [McCaul and Weisman(2001)] McCaul, E. W., Jr. and M. L. Weisman, 2001: The sensitivity of simulated supercell structure and intensity to variations in the shapes of environmental buoyancy and shear profiles. *Mon. Wea. Rev.*, **129**, 664–687.
- [Mead(1997)] Mead, C. M., 1997: The discrimination between tornadic and nontornadic supercell environments: A forecasting challenge in the Southern United States. *Wea. Forecasting*, **12**, 379–387.
- [Meehl et al.(2005)Meehl, Arblaster, and Tebaldi] Meehl, G. A., J. M. Arblaster, and C. Tebaldi, 2005: Understanding future patterns of increased precipitation intensity in climate model simulations. *Geophys. Res. Lett.*, **32**, L18719.
- [Mesinger et al.(2004)] Mesinger, F., et al., 2004: NCEP North America Regional Reanalysis. *Preprints, 15th Symp. on Global Change and Climate Variations*, Seattle, WA, Amer. Meteor. Soc., CD-ROM, P1.1.
- [Mesinger et al.(2006)] Mesinger, F., et al., 2006: North American Regional Reanalysis. *Bull. Amer. Meteorol. Soc.*, **87**, 343–360.
- [Miglietta and Rotunno(2010)] Miglietta, M. M. and R. Rotunno, 2010: Numerical simulations of low-CAPE flows over a mountain ridge. *J. Atmos. Sci.*, **67**, 2391–2401.
- [Miller(1972)] Miller, R. C., 1972: *Notes on Analysis and Severe-Storm Forecasting Procedures of the Air Force Global Weather Central*. Air Weather Service Tech. Rep. 200 (Rev.), Air Weather Service, Scott Air Force Base, IL, 190 pp.
- [Moller(2001)] Moller, A. R., 2001: Severe local storms forecasting. *Severe Convective Storms*, C. A. Doswell, III, Ed., Amer. Met. Soc., Boston, MA, Meteor. Monogr., Vol. 50, 433–480.
- [Moller et al.(1994)Moller, Doswell, Foster, and Woodall] Moller, A. R., C. A. Doswell, III, M. P. Foster, and G. R. Woodall, 1994: The operational recognition of supercell thunderstorm environments and storm structures. *Wea. Forecasting*, **9**, 327–347.
- [Monteverdi et al.(2003)Monteverdi, Doswell, and Lipari] Monteverdi, J. P., C. A. Doswell, III, and G. S. Lipari, 2003: Shear parameter thresholds for forecasting tornadic thunderstorms in Northern and Central California. *Wea. Forecasting*, **18**, 357–370.
- [Monteverdi and Quadros(1994)] Monteverdi, J. P. and J. Quadros, 1994: Convective and rotational parameters associated with three tornado episodes in Northern and Central California. *Wea. Forecasting*, **9**, 285–300.
- [Moore et al.(1998)Moore, Czarnetzki, and Market] Moore, J. T., A. C. Czarnetzki, and P. S. Market, 1998: Heavy precipitation associated with elevated thunderstorms formed in a convectively unstable layer aloft. *Meteor. Appl.*, **5**, 373–384.
- [Morrill et al.(2001)Morrill, Bales, and Conklin] Morrill, J. C., R. C. Bales, and M. H. Conklin, 2001: The relationship between air temperature and stream temperature. *Eos Trans. AGU*, **82**, Spring Meet. Suppl., Abstract H42A-09.
- [Nair et al.(2002)Nair, McCaul, and Welch] Nair, U. S., E. W. McCaul, Jr., and R. M. Welch, 2002: A climatology of environmental parameters that influence severe storm intensity and morphology. *Preprints, 21st Conf. on Severe Local Storms*, San Antonio, TX, Amer. Meteor. Soc., 164–167.
- [Nascimento and Droegemeier(2006)] Nascimento, E. D. L. and K. K. Droegemeier, 2006: Dynamic adjustment in a numerically simulated mesoscale convective system: Impact of the velocity field. *J. Atmos. Sci.*, **63**, 2246–2268.
- [Nelson(1977)] Nelson, S. P., 1977: Rear flank downdraft: A hailstorm intensification mechanism. *Preprints, 10th Conf. on Severe Local Storms*, Omaha, NE, Amer. Meteor. Soc., 521–525.
- [Newton and Fankhauser(1975)] Newton, C. W. and J. C. Fankhauser, 1975: Movement and propagation of multicellular convective storms. *Pure Appl. Geophys.*, **113**, 747–764.
- [Newton and Newton(1959)] Newton, C. W. and H. R. Newton, 1959: Dynamical interactions between large convective clouds and environment with vertical shear. *J. Meteor.*, **16**, 483–496.
- [Noda and Niino(2003)] Noda, A. and H. Niino, 2003: Critical grid size for simulating convective storms: A case study of the Del City supercell storm. *Geophys. Res. Lett.*, **30**.

- [Perkey et al.(2008)Perkey, Kirkpatrick, and McCaul] Perkey, D. J., C. Kirkpatrick, and E. W. McCaul, Jr., 2008: Sensitivity of simulated convective storm outflows and cold pools to environmental parameters. *Eos Trans. AGU*, **89**, Fall Meet. Suppl., Abstract A13A-0226. Synopsis available at <http://talismanred.com/work/agu08a>.
- [Persing and Montgomery(2005)] Persing, J. and M. T. Montgomery, 2005: Is environmental CAPE important in the determination of maximum possible hurricane intensity? *J. Atmos. Sci.*, **62**, 542–550.
- [Pessi and Businger(2009)] Pessi, A. T. and S. Businger, 2009: Relationships among lightning, precipitation, and hydrometeor characteristics over the North Pacific Ocean. *J. Climate Appl. Meteor.*, **48**, 833–848.
- [Peterson and Hennessey(1978)] Peterson, E. W. and J. P. Hennessey, Jr., 1978: On the use of power laws for estimates of wind power potential. *J. Appl. Meteor.*, **17**, 390–394.
- [Pielke et al.(1992)] Pielke, R. A., et al., 1992: A comprehensive meteorological modeling system—RAMS. *Meteorol. Atmos. Phys.*, **49**, 69–91.
- [Pietrycha et al.(2004)Pietrycha, Davies, Ratzler, and Merzlock] Pietrycha, A. E., J. M. Davies, M. Ratzler, and P. Merzlock, 2004: Tornadoes in a deceptively small CAPE environment: The 4/20/04 outbreak in Illinois and Indiana. *Preprints, 22nd Conf. on Severe Local Storms*, Hyannis, MA, Amer. Meteor. Soc., CD-ROM, P1.3.
- [Potvin et al.(2010)Potvin, Elmore, and Weiss] Potvin, C. K., K. L. Elmore, and S. J. Weiss, 2010: Assessing the impacts of proximity sounding criteria on the climatology of significant tornado environments. *Wea. Forecasting*, **25**, 921–930.
- [Proctor(1989)] Proctor, F. H., 1989: Numerical simulations of an isolated microburst. Part II: Dynamics and structure. *J. Atmos. Sci.*, **46**, 2143–2165.
- [Pryor and Ellrod(2004)] Pryor, K. L. and G. P. Ellrod, 2004: WMSI – A new index for forecasting wet microburst severity. *Nat. Wea. Assoc. E. Journal of Operational Meteorology*, **2004-EJ3**.
- [Pryor and Ellrod(2005)] Pryor, K. L. and G. P. Ellrod, 2005: GOES WMSI – Progress and developments. *Preprints, 21st Conf. on Wea. Analysis and Forecasting*, Washington, DC, Amer. Meteor. Soc., P1.57.
- [Qian et al.(2007)Qian, Dai, and Trenberth] Qian, T., A. Dai, and K. E. Trenberth, 2007: Hydroclimatic trends in the Mississippi River basin from 1948 to 2004. *J. Clim.*, **20**, 4599–4614.
- [Ramsay and Doswell(2005)] Ramsay, H. A. and C. A. Doswell, 2005: A sensitivity study of hodograph-based methods for estimating supercell motion. *Wea. Forecasting*, **20**, 954–970.
- [Rasmussen(2003)] Rasmussen, E. N., 2003: Refined supercell and tornado forecast parameters. *Wea. Forecasting*, **18**, 530–535.
- [Rasmussen and Blanchard(1998)] Rasmussen, E. N. and D. O. Blanchard, 1998: A baseline climatology of sounding-derived supercell and tornado forecast parameters. *Wea. Forecasting*, **13**, 1148–1164.
- [Rasmussen et al.(2003)Rasmussen, Davies-Jones, and Holle] Rasmussen, E. N., R. Davies-Jones, and R. L. Holle, 2003: Terrestrial photogrammetry of weather images acquired in uncontrolled circumstances. *J. Atmos. Oceanic Technol.*, **20**, 1790–1803.
- [Rasmussen and Straka(1998)] Rasmussen, E. N. and J. M. Straka, 1998: Variations in supercell morphology. Part 1: Observations of the role of upper-level storm-relative flow. *Mon. Wea. Rev.*, **126**, 2406–2421.
- [Rasmussen et al.(1994)Rasmussen, Straka, Davies-Jones, Doswell, Eilts, and MacGorman] Rasmussen, E. N., J. M. Straka, R. P. Davies-Jones, C. Doswell, III, M. D. Eilts, and D. R. MacGorman, 1994: The Verifications of the Origins of Rotation in Tornadoes Experiment: VORTEX. *Bull. Amer. Meteorol. Soc.*, **75**, 997–1006.
- [Raymond and Jiang(1990)] Raymond, D. J. and H. Jiang, 1990: A theory for long-lived mesoscale convective systems. *J. Atmos. Sci.*, **47**, 3067–3077.
- [Reilly(2004)] Reilly, D. H., 2004: Environmental conditions associated with weak tornadoes across southern Virginia and northeast North Carolina in 2003 and 2004. *Preprints, 22nd Conf. on Severe Local Storms*, Hyannis, MA, Amer. Meteor. Soc., CD-ROM, 2.6.
- [Richardson and Droegemeier(2007)] Richardson, Y. P. and K. K. Droegemeier, 2007: The influence of horizontal environmental variability on numerically simulated convective storms. Part I: Variations in vertical shear. *Mon. Wea. Rev.*, **135**, 3429–3455.

- [Robinson et al.(1995)Robinson, Sivapalan, and Snell] Robinson, J. S., M. Sivapalan, and J. D. Snell, 1995: On the relative roles of hillslope processes, channel routing and network geomorphology in the hydrologic response of natural catchments. *Water Resour. Res.*, **31**, 3089–3101.
- [Roebber et al.(2002)Roebber, Schultz, and Romero] Roebber, P. J., D. M. Schultz, and R. Romero, 2002: Synoptic regulation of the 3 May 1999 tornado outbreak. *Wea. Forecasting*, **17**, 399–429.
- [Rogers et al.(2007)Rogers, Wang, and Coleman] Rogers, J. C., S. H. Wang, and J. S. M. Coleman, 2007: Evaluation of a long-term (1882-2005) equivalent temperature time series. *J. Clim.*, **20**, 4476–4485.
- [Ross and Elliott(1996)] Ross, R. J. and W. P. Elliott, 1996: Tropospheric water vapor climatology and trends over North America: 1973-1993. *J. Clim.*, **9**, 3561–3574.
- [Rotunno and Klemp(1982)] Rotunno, R. and J. B. Klemp, 1982: The influence of the shear-induced pressure-gradient on thunderstorm motion. *Mon. Wea. Rev.*, **110**, 136–151.
- [Rotunno and Klemp(1985)] Rotunno, R. and J. B. Klemp, 1985: On the rotation and propagation of simulated supercell thunderstorms. *J. Atmos. Sci.*, **42**, 271–292.
- [Rotunno et al.(1988)Rotunno, Klemp, and Weisman] Rotunno, R., J. B. Klemp, and M. L. Weisman, 1988: A theory for strong, long-lived squall lines. *J. Atmos. Sci.*, 463–485.
- [Rotunno and Weisman(2003)] Rotunno, R. and M. L. Weisman, 2003: Comment on “Linear and nonlinear propagation of supercell storms”. *J. Atmos. Sci.*, **60**, 2413–2419.
- [Schaefer(1986)] Schaefer, J. T., 1986: Severe thunderstorm forecasting: A historical perspective. *Wea. Forecasting*, **1**, 164–189.
- [Schaefer and Livingston(1988)] Schaefer, J. T. and R. L. Livingston, 1988: The typical structure of tornado proximity soundings. *J. Geophys. Res.-Atmos.*, **93**, 5351–5364.
- [Schlesinger(1973)] Schlesinger, R. E., 1973: Numerical model of deep moist convection. 1. Comparative experiments for variable ambient moisture and wind shear. *J. Atmos. Sci.*, **30**, 835–856.
- [Schlesinger(1975)] Schlesinger, R. E., 1975: A three-dimensional numerical-model of an isolated deep convective cloud: Preliminary results. *J. Atmos. Sci.*, **32**, 934–957.
- [Schlesinger(1978)] Schlesinger, R. E., 1978: A three-dimensional numerical-model of an isolated thunderstorm. Part I: Comparative experiments for variable ambient wind shear. *J. Atmos. Sci.*, **35**, 690–713.
- [Schlesinger(1980)] Schlesinger, R. E., 1980: A three-dimensional numerical-model of an isolated thunderstorm. Part II: Dynamics of updraft splitting and mesovortex couplet evolution. *J. Atmos. Sci.*, **37**, 395–420.
- [Schmidt and Cotton(1989)] Schmidt, J. M. and W. R. Cotton, 1989: A High-Plains squall line associated with severe surface winds. *J. Atmos. Sci.*, **46**, 281–302.
- [Schneider and Dean(2008)] Schneider, R. S. and A. R. Dean, 2008: A comprehensive 5-year severe storm environment climatology for the Continental United States. *Preprints, 24th Conf. on Severe Local Storms*, Savannah, GA, Amer. Meteor. Soc., CD-ROM, 16A.4.
- [Schubert et al.(2001)Schubert, Hausman, Garcia, Ooyama, and Kuo] Schubert, W. H., S. A. Hausman, M. Garcia, K. V. Ooyama, and H. C. Kuo, 2001: Potential vorticity in a moist atmosphere. *J. Atmos. Sci.*, **58**, 3148–3157.
- [Schultz et al.(2002)Schultz, Cortinas, and Doswell] Schultz, D. M., J. V. Cortinas, Jr., and C. A. Doswell, III, 2002: Comments on “an operational ingredients-based methodology for forecasting midlatitude winter season precipitation”. *Wea. Forecasting*, **17**, 160–167.
- [Schumacher and Johnson(2005)] Schumacher, R. S. and R. H. Johnson, 2005: Organization and environmental properties of extreme-rain-producing mesoscale convective systems. *Mon. Wea. Rev.*, **133**, 961–976.
- [Scott(1979)] Scott, D. W., 1979: On optimal and data-based histograms. *Biometrika*, **66**, 605–610.
- [Shabbott and Markowski(2006)] Shabbott, C. J. and P. M. Markowski, 2006: Surface in situ observations within the outflow of forward-flank downdrafts of supercell thunderstorms. *Mon. Wea. Rev.*, **134**, 1422–1441.
- [Shapiro et al.(2003)Shapiro, Robinson, Wurman, and Gao] Shapiro, A., P. Robinson, J. Wurman, and J. Gao, 2003: Single-Doppler velocity retrieval with rapid-scan radar data. *J. Atmos. Ocean. Technol.*, **20**, 1758–1775.

- [Siegel and Castellan(1988)] Siegel, S. and N. Castellan, 1988: *Nonparametric Statistics for the Behavioral Sciences*. McGraw-Hill, New York, 399 pp.
- [Silverman(1978)] Silverman, B. W., 1978: Choosing the window width when estimating a density. *Biometrika*, **65**, 1–11.
- [Silverman(1986)] Silverman, B. W., 1986: *Density Estimation for Statistics and Data Analysis*. Monographs on Statistics and Applied Probability, Chapman and Hall, New York, 175 pp.
- [Smagorinsky(1963)] Smagorinsky, J., 1963: General circulation experiments with the primitive equations. Part I: The basic experiment. *Mon. Wea. Rev.*, **91**, 99–164.
- [Smith et al.(2001)Smith, Baeck, Zhang, and Doswell] Smith, J. A., M. L. Baeck, Y. Zhang, and C. Doswell, III, 2001: Extreme rainfall and flooding from supercell thunderstorms. *J. Hydromet.*, **2**, 469–489.
- [Smith et al.(2005)Smith, Miller, Baeck, Nelson, Fisher, and Meierdiercks] Smith, J. A., A. J. Miller, M. L. Baeck, P. A. Nelson, G. T. Fisher, and K. L. Meierdiercks, 2005: Extraordinary flood response of a small urban watershed to short-duration convective rainfall. *J. Hydromet.*, **6**, 599–617.
- [Smith et al.(2006)Smith, Ortega, Scharfenberg, Manross, and Witt] Smith, T. M., K. L. Ortega, K. A. Scharfenberg, K. Manross, and A. Witt, 2006: The Severe Hail Verification Experiment. *Preprints, 23rd Conf. on Severe Local Storms*, St. Louis, MO, Amer. Meteor. Soc., CD-ROM, 5.3.
- [Snook and Xue(2008)] Snook, N. and M. Xue, 2008: Effects of microphysical drop size distribution on tornadogenesis in supercell thunderstorms. *J. Geophys. Res.*, **35**, L24 803, doi:10.1029/2008GL035866.
- [Srivastava(1985)] Srivastava, R. C., 1985: A simple-model of evaporatively driven downdraft - application to microburst downdraft. *J. Atmos. Sci.*, **42**, 1004–1023.
- [Srivastava(1987)] Srivastava, R. C., 1987: A model of intense downdrafts driven by the melting and evaporation of precipitation. *J. Atmos. Sci.*, **44**, 1752–1773.
- [Sui et al.(2007)Sui, Li, and Yang] Sui, C.-H., X. Li, and M.-J. Yang, 2007: On the definition of precipitation efficiency. *J. Atmos. Sci.*, **64**, 4506–4513.
- [Takemi(2007a)] Takemi, T., 2007a: Environmental stability control of the intensity of squall lines under low-level shear conditions. *J. Geophys. Res.*, **112**, doi:10.1029/2007JD008793.
- [Takemi(2007b)] Takemi, T., 2007b: A sensitivity of squall-line intensity to environmental static stability under various shear and moisture conditions. *Atmos. Res.*, **84**, 374–389.
- [Takemi and Rotunno(2003)] Takemi, T. and R. Rotunno, 2003: The effects of subgrid model mixing and numerical filtering in simulations of mesoscale cloud systems. *Mon. Wea. Rev.*, **131**, 2085–2101.
- [Thompson(1998)] Thompson, R. L., 1998: Eta model storm-relative winds associated with tornadic and nontornadic supercells. *Wea. Forecasting*, **13**, 125–137.
- [Thompson and Edwards(2000)] Thompson, R. L. and R. Edwards, 2000: An overview of environmental conditions and forecast implications of the 3 May 1999 tornado outbreak. *Wea. Forecasting*, **15**, 682–699.
- [Thompson et al.(2003)Thompson, Edwards, Hart, Elmore, and Markowski] Thompson, R. L., R. Edwards, J. A. Hart, K. L. Elmore, and P. Markowski, 2003: Close proximity soundings within supercell environments obtained from the Rapid Update Cycle. *Wea. Forecasting*, **18**, 1243–1261.
- [Thompson et al.(2008)Thompson, Grams, and Prentice] Thompson, R. L., J. S. Grams, and J. A. Prentice, 2008: Synoptic environments and convective modes associated with significant tornadoes in the contiguous United States. *Preprints, 24th Conf. on Severe Local Storms*, Savannah, GA, Amer. Meteor. Soc., CD-ROM, 16A.3.
- [Thompson et al.(2007)Thompson, Mead, and Edwards] Thompson, R. L., C. M. Mead, and R. Edwards, 2007: Effective storm-relative helicity and bulk shear in supercell thunderstorm environments. *Wea. Forecasting*, **22**, 102–115.
- [Thorpe et al.(1982)Thorpe, Miller, and Moncrieff] Thorpe, A. J., M. J. Miller, and M. W. Moncrieff, 1982: Two-dimensional convection in non-constant shear—a model of mid-latitude squall lines. *Quart. J. Roy. Meteorol. Soc.*, **108**, 739–762.
- [Trapp(1999)] Trapp, R. J., 1999: Observations of nontornadic low-level mesocyclones and attendant tornadogenesis failure during VORTEX. *Mon. Wea. Rev.*, **127**, 1693–1705.
- [Trapp and Davies-Jones(1997)] Trapp, R. J. and R. Davies-Jones, 1997: Tornadogenesis with and without a dynamic pipe effect. *J. Atmos. Sci.*, **54**, 113–133.

- [Trapp et al.(2007)Trapp, Diffsenbaugh, Brooks, Baldwin, Robinson, and Pal] Trapp, R. J., N. S. Diffsenbaugh, H. E. Brooks, M. E. Baldwin, E. D. Robinson, and J. S. Pal, 2007: Changes in severe thunderstorm environment frequency during the 21st century caused by anthropogenically enhanced global radiative forcing. *Proc. Nat. Acad. Sci. USA*, **104**, 19 719–19 723, Dec. 11, 2007.
- [Trapp et al.(2001)Trapp, Schultz, Ryzhkov, and Holle] Trapp, R. J., D. M. Schultz, A. V. Ryzhkov, and R. L. Holle, 2001: Multiscale structure and evolution of an Oklahoma winter precipitation event. *Mon. Wea. Rev.*, **129**, 486–501.
- [Trapp et al.(2005)Trapp, Stumpf, and Manross] Trapp, R. J., G. J. Stumpf, and K. L. Manross, 2005: A reassessment of the percentage of nontornadic mesocyclones. *Wea. Forecasting*, **20**, 680–687.
- [Tripoli and Cotton(1982)] Tripoli, G. J. and W. R. Cotton, 1982: The Colorado State University three-dimensional cloud/mesoscale model–1982. Part I: General theoretical framework and sensitivity experiments. *J. Rech. Atmos.*, **16**, 185–219.
- [van den Broeke et al.(2005)van den Broeke, Schultz, Johns, Evans, and Hales] van den Broeke, M. S., D. M. Schultz, R. H. Johns, J. S. Evans, and J. E. Hales, 2005: Cloud-to-ground lightning producing in strongly forced, low-instability convective lines associated with damaging wind. *Wea. Forecasting*, **20**, 517–530.
- [van den Heever and Cotton(2004)] van den Heever, S. C. and W. R. Cotton, 2004: The impact of hail size on simulated supercell storms. *J. Atmos. Sci.*, **61**, 1596–1609.
- [Vasiloff et al.(1986)Vasiloff, Brandes, Davies-Jones, and Ray] Vasiloff, S. V., E. A. Brandes, R. P. Davies-Jones, and P. S. Ray, 1986: An investigation of the transition from multicell to supercell storms. *J. Climate Appl. Meteor.*, **25**, 1022–1036.
- [Wakimoto(2001)] Wakimoto, R. M., 2001: Convectively driven high wind events. *Severe Convective Storms*, C. A. Doswell, III, Ed., Amer. Met. Soc., Boston, MA, Meteor. Monogr., Vol. 50, 255–298.
- [Wakimoto et al.(1998)Wakimoto, Liu, and Cai] Wakimoto, R. M., C. W. Liu, and H. Q. Cai, 1998: The Garden City, Kansas, storm during VORTEX 95. Part I: Overview of the storm’s life cycle and mesocyclogenesis. *Mon. Wea. Rev.*, **126**, 372–392.
- [Wakimoto and Wilson(1989)] Wakimoto, R. M. and J. W. Wilson, 1989: Non-supercell tornadoes. *Mon. Wea. Rev.*, **117**, 1113–1140.
- [Walko et al.(1995a)Walko, Cotton, Meyers, and Harrington] Walko, R. L., W. R. Cotton, M. P. Meyers, and J. Y. Harrington, 1995a: New RAMS cloud microphysics parameterization: 1. The single-moment scheme. *Atmos. Res.*, **38**, 29–62.
- [Walko et al.(1995b)Walko, Tremback, and Hertenstein] Walko, R. L., C. J. Tremback, and R. F. A. Hertenstein, 1995b: *RAMS: The Regional Atmospheric Modeling System, Version 3b, Users Guide*. Mission Research Corp., Fort Collins, CO 80522, 117 pp.
- [Weaver and Nigam(2008)] Weaver, S. J. and S. Nigam, 2008: Variability of the great plains low-level jet: Large-scale circulation context and hydroclimate impacts. *J. Clim.*, **21**, 1532–1551.
- [Weckwerth and Parsons(2006)] Weckwerth, T. M. and D. B. Parsons, 2006: A review of convection initiation and motivation for IHOP–2002. *Mon. Wea. Rev.*, **134**, 5–22.
- [Weisman(1993)] Weisman, M. L., 1993: The genesis of severe, long-lived bow echoes. *J. Atmos. Sci.*, **50**, 645–670.
- [Weisman et al.(1998)Weisman, Gilmore, and Wicker] Weisman, M. L., M. S. Gilmore, and L. J. Wicker, 1998: The impact of convective storms on their local environment: What is an appropriate ambient sounding? *Preprints, 19th Conf. on Severe Local Storms*, Minneapolis, MN, Amer. Meteor. Soc., 238–241.
- [Weisman and Klemp(1982)] Weisman, M. L. and J. B. Klemp, 1982: The dependence of numerically simulated convective storms on vertical wind shear and buoyancy. *Mon. Wea. Rev.*, **110**, 504–520.
- [Weisman and Klemp(1984)] Weisman, M. L. and J. B. Klemp, 1984: The structure and classification of numerically simulated convective storms in directionally varying shears. *Mon. Wea. Rev.*, **112**, 2479–2498.
- [Weisman and Klemp(1986)] Weisman, M. L. and J. B. Klemp, 1986: Characteristics of isolated convective storms. *Mesoscale Meteorology and Forecasting*, P. S. Ray, Ed., Amer. Met. Soc., Boston, MA, 331–358.

- [Weisman et al.(1988)Weisman, Klemp, and Rotunno] Weisman, M. L., J. B. Klemp, and R. Rotunno, 1988: Structure and evolution of numerically simulated squall lines. *J. Atmos. Sci.*, **45**, 1990–2013.
- [Weisman and Rotunno(2000)] Weisman, M. L. and R. Rotunno, 2000: The use of vertical wind shear versus helicity in interpreting supercell dynamics. *J. Atmos. Sci.*, **57**, 1452–1472.
- [Weisman and Trapp(2003)] Weisman, M. L. and R. J. Trapp, 2003: Low-level mesovortices within squall lines and bow echoes. Part I: Overview and dependence on environmental shear. *Mon. Wea. Rev.*, **131**, 2779–2803.
- [Weiss(1991)] Weiss, S. J., 1991: Some aspects of forecasting severe thunderstorms during cool-season return-flow episodes. *J. Appl. Meteorol.*, **31**, 964–982.
- [West et al.(2007)West, Steenburgh, and Cheng] West, G. L., W. J. Steenburgh, and W. Y. Y. Cheng, 2007: Spurious grid-scale precipitation in the North American regional reanalysis. *Mon. Wea. Rev.*, **135**, 2168–2184.
- [Wicker and Cantrell(1996)] Wicker, L. J. and L. Cantrell, 1996: The role of vertical buoyancy distributions in miniature supercells. *Preprints, 18th Conf. on Severe Local Storms*, San Francisco, CA, Amer. Meteor. Soc., 225–229.
- [Wilhelmson and Wicker(2001)] Wilhelmson, R. B. and L. J. Wicker, 2001: Severe storm modeling. *Severe Convective Storms*, C. A. Doswell, III, Ed., Amer. Met. Soc., Boston, MA, Meteor. Monogr., Vol. 50, 123–166.
- [Williams et al.(2005)Williams, Mushtak, Rosenfeld, Goodman, and Boccippio] Williams, E., V. Mushtak, D. Rosenfeld, S. Goodman, and D. Boccippio, 2005: Thermodynamic conditions favorable to superlative thunderstorm updraft, mixed phase microphysics and lightning flash rate. *Atmos. Res.*, **76**, 288–306.
- [Williams and Renno(1993)] Williams, E. and N. Renno, 1993: An analysis of the conditional instability of the tropical atmosphere. *Mon. Wea. Rev.*, **121**, 2479–2498.
- [Woods and Sivapalan(1999)] Woods, R. and M. Sivapalan, 1999: A synthesis of space–time variability in storm response: Rainfall, runoff generation, and routing. *Water Resour. Res.*, 2469–2485.
- [Wurman et al.(2007a)Wurman, Richardson, Alexander, Weygandt, and Zhang] Wurman, J., Y. Richardson, C. Alexander, S. Weygandt, and P. F. Zhang, 2007a: Dual-Doppler analysis of winds and vorticity budget terms near a tornado. *Mon. Wea. Rev.*, **135**, 2392–2405.
- [Wurman et al.(2007b)Wurman, Richardson, Alexander, Weygandt, and Zhang] Wurman, J., Y. Richardson, C. Alexander, S. Weygandt, and P. F. Zhang, 2007b: Dual-doppler and single-Doppler analysis of a tornadic storm undergoing mergers and repeated tornadogenesis. *Mon. Wea. Rev.*, **135**, 736–758.
- [Yates et al.(2000)Yates, Warner, and Leavesley] Yates, D. N., T. T. Warner, and G. H. Leavesley, 2000: Prediction of a flash flood in complex terrain. Part II: A comparison of flood discharge simulations using rainfall input from radar, a dynamic model, and an automated algorithmic system. *J. Appl. Meteorol.*, **39**, 815–825.
- [Ye et al.(1998)Ye, Del Genio, and Lo] Ye, B., A. D. Del Genio, and K. K.-W. Lo, 1998: CAPE variations in the current climate and in a climate change. *J. Clim.*, **11**, 1997–2015.
- [Zawadski et al.(1981)Zawadski, Torlaschi, and Sauvageau] Zawadski, I., E. Torlaschi, and R. Sauvageau, 1981: The relationship between mesoscale thermodynamic variables and convective precipitation. *J. Atmos. Sci.*, **38**, 1535–1540.
- [Zawadski and Ro(1978)] Zawadski, I. I. and C. U. Ro, 1978: Correlations between maximum rate of precipitation and mesoscale parameters. *J. Appl. Meteorol.*, **17**, 1327–1334.
- [Zipser(1969)] Zipser, E. J., 1969: The role of organized unsaturated convective downdrafts in the structure and rapid decay of an equatorial disturbance. *J. Appl. Meteor.*, **8**, 799–814.